## In the Claims:

Please cancel claims 2, 5, 13, 29, and amend the remaining pending claims as shown, except claim 20.

- 1. (Currently Amended) A polymersome vesicle comprising a semi-permeable, thin-walled encapsulating membrane, wherein the membrane is formed in an aqueous solution without the use of organic solvent, [and] wherein the membrane comprises one or more wholly synthetic, [non-peptide] super-amphiphilic molecules that are polymeric, having a number average molecular weight ≥1400, wherein at least one super-amphiphile molecule is a block copolymer, and wherein the eopolymer polymeric molecules directly self assembles assemble into vesicles due to amphilicity and without need for post-assembly polymerization or crosslinking.
- 2. (Cancelled) The polymersome vesicle of claim 1, wherein at least one superamphiphile molecule is a block copolymer.
- 3. (Currently Amended) The polymersome vesicle of claim [2]1, wherein the vesicles remain intact upon exposure to (i) organic solvent, (ii) boiling water, or (iii) dehydration in air, or rehydration in aqueous solution.
- 4. (Currently Amended) The polymersome vesicle of claim [3]1, vesicle comprising [a] at least one linear diblock copolymer.
- 5. (Cancelled) The polymersome vesicle of claim 3, comprising a triblock copolymer.
- 6. (Currently Amended) The polymersome vesicle of claim [3]1 wherein all of the super-amphiphile molecules are block copolymers.
- 7. (Currently Amended) The polymersome vesicle of claim [3]1, wherein the vesicle is prepared together with one or more small amphiphiles.
- 8. (Currently Amended) [The] A polymersome vesicle [of claim 3 comprising] consisting essentially of a semi-permeable, thin-walled encapsulating membrane, wherein the membrane is formed in an aqueous solution without the use of organic solvent, wherein the membrane comprises one or more wholly synthetic, super-amphiphilic molecules that are polymeric, having a number average molecular weight ≥1400, wherein

at least one super-amphiphile molecule is a block copolymer, wherein the polymeric molecules directly self assemble into vesicles due to amphilicity and without need for post-assembly polymerization or crosslinking, wherein the vesicle is prepared together with one or more small amphiphiles, and wherein at least one small amphiphile is a phospholipid.

Claim 9 (Cancelled)

10. (Currently Amended) The polymersome vesicle of claim [3]1, wherein at least one block copolymer is selected from the group consisting of polyethylene oxide (PEO), poly(ethylethylene) (PEE), poly(butadiene) (PB), poly(styrene) (PS) and poly(isoprene) (PI).

Claims 11 and 12 (Cancelled)

- 13. (Cancelled) The polymersome vesicle of claim 3, wherein the vesicle is biocompatible.
- 14. (Currently Amended) The polymersome vesicle of claim [3]1, wherein the polymersome encapsulates at least one [material]encapsulatable molecule selected from the group consisting of [drug,]therapeutic compound, dye, indicator, [waste product, heavy metal,] biocide, nutrient, [sugar, vitamin, mineral,] protein or protein fragment, salt, [electrolyte,]gene or gene fragment, [product of genetic engineering,] and steroid[, adjuvant, biosealant, gas, ferrofluid, and liquid crystal].
- 15. (Currently Amended) The method of [using] delivering the polymersome vesicle of claim [3]1, wherein the method comprises:

preparing the polymersome vesicle with at least one encapsulatable molecule encapsulated therein [;

importing into the polymersome the at least one encapsulatable material] from the environment immediately surrounding the polymersome; and

[transporting] <u>delivering</u> the polymersome and the at least one [material] <u>encapsulatable molecule</u> encapsulated therein [away from the surrounding environment, thereby removing it from said environment].

16. (Currently Amended) The method of claim 15, [wherein the environment is to a patient, and wherein the method] further [comprises removing the polymersome and]

comprising delivering to a patient the prepared polymersome and the at least one [material] molecule encapsulated therein [from the patient].

- 17. (Currently Amended) The method of preparing the polymersome of claim [3]15, comprising at least one step consisting of a film rehydrating step, a bulk rehydrating step, or an electroforming step, or any combination thereof.
- 18. (Currently Amended) A method of controlling the release of an encapsulated [material] molecule from a polymersome of claim [3]1, comprising modulating the composition of the membrane, thereby altering the nature of the encapsulatable [material] molecule that may be transported [to or from the bulk surrounding] by the polymersome.
- 19. (Currently Amended) A method of controlling the release of an encapsulated [material] molecule from a polymersome of claim 18 by cross-linking a membrane comprising at least one cross-linkable amphiphile and at least one non cross-linkable molecule, and subjecting the thus destabilized membrane to chemical exposure or propagated light, sound, heat, or motion.
- 20. (Previously Amended) An encapsulating membrane comprising a semipermeable, thin-walled encapsulating, amphiphilic membrane prepared by forming the membrane around a droplet of oil in a microemulsion of oil dispersed in an aqueous solution, wherein the membrane comprises one or more synthetic super-amphiphilic molecules.

Claims 21 and 22 (Cancelled)

23. (Currently Amended) The method of claim 16, wherein the method further comprises delivering at least one [material] molecule encapsulated [by] in the polymersome to the patient, and wherein the encapsulated [material] molecule is selected from the group consisting of a [drug,] therapeutic composition, dye, indicator, nutrient, [sugar, vitamin, mineral,] protein or protein fragment, salt, [electrolyte,] gene or gene fragment, [product of genetic engineering,] steroid, [adjuvant, biosealant, waste product, heavy metal,] and gas.

Claim 24 (Cancelled)

25. (Currently Amended) The polymersome vesicle of claim [3]1, comprising a multi-block copolymer.

26. (Currently Amended) The method of [using] delivering the polymersome vesicle of claim [3]15, wherein the method <u>further</u> comprises:

[preparing the polymersome vesicle;

encapsulating therein at least one encapsulatable material;

delivering the polymersome comprising the at least one encapsulated material to a selected environment; and]

releasing said encapsulated [material(s)] molecule(s) into [the] an environment immediately surrounding the polymersome.

- 27. (Currently Amended) The method of claim 26, wherein the environment is a patient, and wherein the method further comprises delivering the polymersome and the at least one [material] molecule encapsulated therein to the patient, and releasing the encapsulated [material] molecule contained therein.
- 28. (Currently Amended) The method of claim 27, wherein the method further comprises releasing to the patient the at least one encapsulated [material] molecule, selected from the group consisting of a [drug.] therapeutic composition, [medicament,] dye, indicator, nutrient, [sugar, vitamin, mineral,] protein or protein fragment, salt, [electrolyte,] gene or gene fragment, [product of genetic engineering,] steroid, [adjuvant, biosealant,] and gas.
- 29. (Cancelled) The method of claim 16, wherein the method further comprises removing from the patient at least one encapsulated material, selected from the group consisting of a waste product, dye, indicator, nutrient, sugar, vitamin, mineral, protein or protein fragment, salt, electrolyte, gene or gene fragment, biosealant and gas.